




NOTES: UNLESS OTHERWISE SPECIFIED:

1. INSTALLATION PRINT INTENDED SOLELY FOR USER INFORMATION TO CONCEPTUALLY DESIGN INTO VEHICLE
2. TRIPOD HOUSINGS REQUIRE USE OF SMALL TRE TRIPOD, P/N INV-02002011, PURCHASED SEPARATELY

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED



LOCKING NUT MUST BE EITHER SAFETY WIRED OR PINNED TO END BELL FOR ANTI-ROTATION CONTROL



	NAME	DATE
DRAWN		
CHECKED		
APPROVED		



UNLESS OTHERWISE SPECIFIED:
 INTERPRET GD&T PER ASME Y14.5M-2009
 DIMENSIONS ARE IN INCHES:
 DIMENSIONS IN [XX] ARE MILLIMETERS
 BREAK ALL SHARP EDGES 0.005-0.015
 RADIUS INSIDE CORNERS 0.032 MAX
 SURFACE TEXTURE: 63 µin MAX
 TOLERANCES:
 LINEAR: ± 0.005 ANGLES: ± 1.0°

PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TAYLOR RACE ENGINEERING, LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TAYLOR RACE ENGINEERING, LLC IS STRICTLY PROHIBITED.

Taylor
 RACE ENGINEERING www.taylor-race.com

TITLE:
**TRE CHAIN DRIVE DIFF MK II
 INSTALLATION PRINT**

SIZE	DWG. NO.		
B	INV-06-10001-Installation Print		
DO NOT SCALE DRAWING	SCALE: 3:4	WEIGHT: 8.3 lbs	SHEET 1 OF 1